

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>10/825339</u>	Examiner : <u>Berman</u>	GAU : <u>2881</u>
From : <u>CA</u>	Location : <u>IDC</u> FMF FDC	Date : <u>3-22-05</u>

Tracking #: 06073451 Week Date: 1-31-05

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input checked="" type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input checked="" type="checkbox"/> Other <u>Abstract</u>
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input checked="" type="checkbox"/> SPEC	<u>6/12/02</u>	

[RUSH] MESSAGE: Abstract exceeds 250 words ~~please~~

① Continuing data on Bib doesn't match specification paragraph.

please provide relationship of the PCT serial number in spec,

and update to Bib sheet.

Please Resolve

Thank You (CA)

[XRUSH] RESPONSE: Abstract replaced, ~~and~~ specification amended, and

BIB sheet corrected.

INITIALS: JD

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04